

## Incidence of Symptom Perception by Practice Type (Baseline)

	Practice Type					
	Majority-based		Minority-based		Total	
	N	%	N	%	N	%
<b>Pain</b>						
Not Present	1248	54.2	367	47.7	1615	52.6
Mild	666	28.9	197	25.6	863	28.1
Moderate	189	8.2	87	11.3	276	9.0
Severe	200	8.7	119	15.5	319	10.4
Unknown	21	-	12	-	33	-
<b>Fatigue</b>						
Not Present	490	21.6	201	26.4	691	22.8
Mild	1017	44.8	274	36.0	1291	42.6
Moderate	398	17.5	125	16.4	523	17.2
Severe	366	16.1	161	21.2	527	17.4
Unknown	53	-	21	-	74	-
<b>Nausea</b>						
Not Present	1694	73.6	536	69.6	2230	72.6
Mild	438	19.0	154	20.0	592	19.3
Moderate	88	3.8	36	4.7	124	4.0
Severe	81	3.5	44	5.7	125	4.1
Unknown	23	-	12	-	35	-
<b>Disturbed sleep</b>						
Not Present	818	35.5	316	41.1	1134	36.9
Mild	910	39.5	203	26.4	1113	36.2
Moderate	313	13.6	96	12.5	409	13.3
Severe	263	11.4	153	19.9	416	13.5
Unknown	20	-	14	-	34	-
<b>Being distressed</b>						
Not Present	1012	43.9	353	45.8	1365	44.4
Mild	899	39.0	232	30.1	1131	36.8
Moderate	218	9.5	79	10.2	297	9.7
Severe	177	7.7	107	13.9	284	9.2
Unknown	18	-	11	-	29	-
<b>Dyspnea</b>						
Not Present	1256	54.4	419	54.3	1675	54.4
Mild	746	32.3	190	24.6	936	30.4
Moderate	157	6.8	74	9.6	231	7.5
Severe	149	6.5	88	11.4	237	7.7
Unknown	16	-	11	-	27	-
<b>Cognitive difficulties</b>						
Not Present	872	37.8	342	44.3	1214	39.4
Mild	1060	45.9	274	35.5	1334	43.3
Moderate	218	9.4	81	10.5	299	9.7
Severe	157	6.8	75	9.7	232	7.5
Unknown	17	-	10	-	27	-
<b>Anorexia/cachexia</b>						
Not Present	1413	61.4	452	58.9	1865	60.8
Mild	566	24.6	158	20.6	724	23.6
Moderate	153	6.6	75	9.8	228	7.4
Severe	169	7.3	82	10.7	251	8.2
Unknown	23	-	15	-	38	-

	Practice Type					
	Majority-based		Minority-based		Total	
	N	%	N	%	N	%
<b>Drowsiness</b>						
Not Present	713	30.9	308	40.1	1021	33.2
Mild	1078	46.7	273	35.5	1351	43.9
Moderate	289	12.5	91	11.8	380	12.3
Severe	228	9.9	97	12.6	325	10.6
Unknown	16	-	13	-	29	-
<b>Dry mouth</b>						
Not Present	1088	47.5	356	46.5	1444	47.2
Mild	788	34.4	238	31.1	1026	33.6
Moderate	192	8.4	82	10.7	274	9.0
Severe	224	9.8	90	11.7	314	10.3
Unknown	32	-	16	-	48	-
<b>Sad/depressed</b>						
Not Present	1147	49.7	385	49.9	1532	49.7
Mild	828	35.8	219	28.4	1047	34.0
Moderate	187	8.1	64	8.3	251	8.1
Severe	148	6.4	103	13.4	251	8.1
Unknown	14	-	11	-	25	-
<b>Vomiting</b>						
Not Present	2093	90.7	663	86.1	2756	89.5
Mild	153	6.6	66	8.6	219	7.1
Moderate	25	1.1	22	2.9	47	1.5
Severe	37	1.6	19	2.5	56	1.8
Unknown	16	-	12	-	28	-
<b>Numbness/tingling</b>						
Not Present	1161	50.3	355	46.1	1516	49.2
Mild	755	32.7	221	28.7	976	31.7
Moderate	184	8.0	84	10.9	268	8.7
Severe	210	9.1	110	14.3	320	10.4
Unknown	14	-	12	-	26	0.8
<b>Diarrhea</b>						
Not Present	1543	66.7	549	71.2	2092	67.9
Mild	529	22.9	137	17.8	666	21.6
Moderate	109	4.7	39	5.1	148	4.8
Severe	131	5.7	46	6.0	177	5.7
Unknown	12	-	11	-	23	-
<b>Constipation</b>						
Not Present	1430	62.2	483	63.4	1913	62.5
Mild	583	25.3	172	22.6	755	24.7
Moderate	140	6.1	38	5.0	178	5.8
Severe	147	6.4	69	9.1	216	7.1
Unknown	24	-	20	-	44	-
<b>Sore mouth</b>						
Not Present	1919	83.0	650	84.5	2569	83.4
Mild	290	12.5	79	10.3	369	12.0
Moderate	45	1.9	18	2.3	63	2.0
Severe	59	2.6	22	2.9	81	2.6
Unknown	11	-	13	-	24	-

	Practice Type					
	Majority-based		Minority-based		Total	
	N	%	N	%	N	%
<b>Rash/pruritis</b>						
Not Present	1831	79.5	604	78.5	2435	79.3
Mild	347	15.1	91	11.8	438	14.3
Moderate	53	2.3	31	4.0	84	2.7
Severe	72	3.1	43	5.6	115	3.7
Unknown	21	-	13	-	34	-
<b>Hair loss</b>						
Not Present	1413	61.3	498	64.9	1911	62.2
Mild	443	19.2	110	14.3	553	18.0
Moderate	86	3.7	38	5.0	124	4.0
Severe	363	15.7	121	15.8	484	15.8
Unknown	19	-	15	-	34	-
<b>Coughing</b>						
Not Present	1438	62.1	460	59.7	1898	61.5
Mild	673	29.1	198	25.7	871	28.2
Moderate	102	4.4	44	5.7	146	4.7
Severe	101	4.4	68	8.8	169	5.5
Unknown	10	-	12	-	22	-